

**Form IV**  
**(See Rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]


**Return No :** 291193

**Period :** 2018

<b>1. Particulars of the Occupier</b>	
(i) Name of the authorized person (Occupier or operator of facility):	Vision Multispecialty Hospital
(ii) Name of HCF or CBMWTF:	M/s Vision Multispecialty Hospital
(iii) Address for Correspondence:	Duler Ground Road, Acoi Village, Mapusa, Goa
(iv) Address of Facility:	Duler Ground Road, Acoi Village, Mapusa, Goa
(v) Tel. No.:	8380084266
(vi) Fax. No.:	-
(vii) E-mail ID:	shetyecp@yahoo.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF or CBMWTF:	Latitude: 15.603944 Longitude: 15.603944
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 13/353/12- PCBTECH/453 Valid Upto: 05/04/2019
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto:
<b>2. Type of Health Care Facility</b>	
HCF/CBMWTF Type:	HCF
(i) No. of Beds (for Bedded Hospital):	0.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	40
(iii) Licence Number:	0
(iv) Licence date of expiry:	
<b>3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)</b>	Yellow Category: 1850 Red Category: 1125 White Category: 9 Blue Category: 24 General Solid Waste: 2500
<b>4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details</b>	
(i) Details of the on-site storage facility:	Size: 250 Capacity: 1000 Provision of on-site storage: NIL

M/s Vision Multispecialty Hospital, Duler Ground Road, Acoi Village, Mapusa, Goa.

Page 1





(ii) Disposal Facility:	<table border="1"> <thead> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity (Kg/day)</th> <th>Quantity Treated or Disposed (Kg/annum)</th> </tr> </thead> <tbody> <tr> <td>Autoclaves</td> <td>1</td> <td>20</td> <td>1158</td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>1</td> <td>1</td> <td>9</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td>1</td> <td>1</td> <td>9</td> </tr> <tr> <td>Deep burial pit</td> <td>1</td> <td>1</td> <td>950</td> </tr> <tr> <td>Chemical Disinfection</td> <td>1</td> <td>1</td> <td>9</td> </tr> </tbody> </table>	Type of Treatment Equipment	Number of Units	Capacity (Kg/day)	Quantity Treated or Disposed (Kg/annum)	Autoclaves	1	20	1158	Needle tip cutter or destroyer	1	1	9	Sharps encapsulation or concrete pit	1	1	9	Deep burial pit	1	1	950	Chemical Disinfection	1	1	9
Type of Treatment Equipment	Number of Units	Capacity (Kg/day)	Quantity Treated or Disposed (Kg/annum)																						
Autoclaves	1	20	1158																						
Needle tip cutter or destroyer	1	1	9																						
Sharps encapsulation or concrete pit	1	1	9																						
Deep burial pit	1	1	950																						
Chemical Disinfection	1	1	9																						
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0																								
(iv) No of vehicles used for collection and transportation of BMW:	0																								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td colspan="3">List is Empty</td> </tr> </tbody> </table>	Type of waste	Quantity Generated	Where disposal	List is Empty																				
Type of waste	Quantity Generated	Where disposal																							
List is Empty																									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Onsite Disposal																								
5. Do you have BMW management committee:	no																								
6. Training Conducted on BMW Details																									
(i) Number of training conducted on BMW Management:	5																								
(ii) Number of personnel trained:	18																								
(iii) Number of personnel trained at the time of induction:	0																								
(iv) Number of personnel not undergone any training so far:	0																								
(v) Whether standard manual for training is available:	no																								
(vi) Any other information:	NIL.																								
7. Details of the accident occurred																									
(i) No. of accident occurred:	0																								
(ii) Number of the persons affected:	0																								
(iii) Remedial Action taken:	NA																								
(iv) Any Fatality occurred, details:	NIL.																								
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	NA																								
Details of Continuous online emission monitoring systems installed:	NA																								
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	NIL																								
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	NIL																								





11. Any other relevant information:

NIL

Date : 14/08/2019

Place : NORTH GOA

Name and Signature of the Head of the Institution

